





	FLEXILUX	SOFTLUX
Compostion	100% Polyester (colour 0320 - PES 83,4%, CV 11,6%, LI 5%)	100% Polyester
Description	Fabric have pockets for rod and eyelets to thread a pull-up cord. Gap between pockets - 20 cm	Fabric have pockets for rod and eyelets to thread a pull-up cord. Gap between pockets - 20 cm.
Processing	Must be sewed	Must be sewed
Lenght of roll	Aprox. 40 mb.	Aprox. 40 mb.
Widht of roll	238 cm (colour 0320 - 200 cm)	200 cm
Weight	303 g/m ² (colour 0320 - 253 g/m ²)	208 g/m ²
Fire resistance certificate	No	No
Cleaning	Wash in temp. 30°, do not use chlorine, can be ironed	Wash in temp. 30°, do not use chlorine, can be ironed



Flexilux
snow



0100
238 cm



Flexilux
white



1924
238 cm



Flexilux
natural

0320

200 cm



Flexilux
ivory



1883
238 cm



Flexilux
beige



1874
238 cm



Flexilux
sun



1948
238 cm



Flexilux
dark beige



1881
238 cm



Flexilux
silver



2960
238 cm



Flexilux
stone



2959
238 cm



Flexilux
cappuccino



1949
238 cm



Flexilux
espresso



1882
238 cm



Flexilux
maroon



1884
238 cm



Flexilux
black



2968
238 cm



Softux
vanilla



001
200 cm



Softux
sand



002
200 cm



Softux
champagne



003
200 cm



Softux
mocca



004
200 cm



Softux
terracotta



009
200 cm



Softlux
grey



010
200 cm